


































PRODUCT LINE CARD












# The PIONEER and TRUE Market Leader in Sustainability

		Product Name	Listing	Part Number <sup>1</sup>	Package	Sustainability	
PREMISES COPPER	Category 6A	 <b>10Gain® XP CAT 6A</b>  	CMR-LP	6H-246-xA	1,000' BrakeBox®	EPD, HPD	
			CMP-LP	6H-246-xB			
		 <b>10Gain CAT 6A</b>	CMR	6A-246-xA	1,000' BrakeBox	EPD, HPD	
			CMP	6A-272-xB	1,000' Reel		
		 <b>CAT 6A U/FTP (STP)</b>	CMR	6S-220-xA	1,000' Reel	EPD, HPD	
	CMP		6S-220-xB				
	 <b>CAT 6A F/UTP (ScTP)</b>	CMR	6F-246-xA	1,000' BrakeBox	EPD, HPD		
		CMP	6F-246-xB				
	PREMISES COPPER	Category 6	 <b>CAT 6+ F/UTP (ScTP)</b> 	CMR	6T-246-xA	1,000' BrakeBox	EPD, HPD
				CMP	6T-246-xB		
 <b>NextGain® CAT 6eX</b>			CMR	54-246-xA	1,000' BrakeBox	EPD, HPD	
			CMP	54-246-xB	1,000' BrakeBox		
 <b>DataGain® CAT 6+</b>			CMR	66-246-xA	1,000' BrakeBox	EPD, HPD	
		66-240-xA		1,000' POP™ box			
		CMP	66-246-xB	1,000' BrakeBox			
			66-240-xB	1,000' POP box			
 <b>CAT 6+ LSHF</b>		CMR-LSHF	66-246-xM	1,000' BrakeBox	EPD, HPD		
		 <b>CAT 6 with FEP Jacket</b>	CMP	66-246-xP	1,000' BrakeBox	EPD, HPD 2.0	
 <b>CAT 6</b>	CMR		77-246-xA	1,000' BrakeBox	EPD, HPD		
		77-240-xA	1,000' POP box				
	CMP	77-246-xB	1,000' BrakeBox				
		77-240-xB	1,000' POP box				
 <b>CAT 6</b>	CMR/CMX	Indoor/Outdoor Sunlight Resistant	77-246-E1	1,000' BrakeBox	-		
		Indoor/Outdoor	77-246-x1				
 <b>Interlock Armored Premises Copper CAT 6 (single component)</b>	CMR		K4-199-xA <sup>2</sup>	1,000' Reel	-		
			L4-199-xA <sup>3</sup>				
PREMISES COPPER	Category 5e	 <b>Cobra CAT 5e+</b>	CMR	52-200-x5	1,000' Reel-in-a-Box	EPD, HPD	
				52-240-x5	1,000' POP box		
			CMP	52-200-x8	1,000' Reel-in-a-Box		
				52-241-x8	1,000' POP box		
		 <b>CAT 5e+ F/UTP (ScTP)</b>	CMR	5F-220-x5	1,000' Reel	EPD, HPD	
	CMP		5F-220-x8				
	 <b>Marathon LAN® CAT 5e</b>	CMR	51-243-x5	1,000' Reel-in-a-Box	EPD, HPD		
			51-240-x5	1,000' POP box			
		CMP	51-243-x8	1,000' Reel-in-a-Box			
			51-241-x8	1,000' POP box			
 <b>CAT 5e F/UTP (ScTP)</b>	CMR/CMX	Indoor/Outdoor Sunlight Resistant	5F-220-E1	1,000' Reel	-		
		Indoor/Outdoor	5F-220-x1				
 <b>CAT 5e</b>	CMR/CMX	Indoor/Outdoor Sunlight Resistant	51-240-E1	1,000' POP box	-		
		Indoor/Outdoor	51-240-x1				
 <b>25-Pair CAT 5e</b>	CMR	Power Sum	51-478-x5	1,000' Reel	-		
		CMP	Indoor/Outdoor			51-478-48	
			CM			51-499-EL	
 <b>Interlock Armored Premises Copper CAT 5e (dual component)</b>	CMR		K2-299-S5 <sup>2</sup>	1,000' Reel	-		
			L2-299-S5 <sup>3</sup>				
PREMISES COPPER	1G	 <b>PowerWise® 1G 4PPoE</b>  	CMR-LP	PW52-H46-x5	1,000' BrakeBox	EPD, HPD	
			CMP-LP	PW52-H46-x8			
			CMR/CMX	Indoor/Outdoor Sunlight Resistant		PW52-H46-E1	-
				Indoor/Outdoor		PW52-H46-x1	

PREMISES COPPER	OSP Broadband	Product Name	Category	Part Number	Product Code	Shield	Package	
								
		CAT 6	04-001-65	BBDG6				
		CAT 5e	04-001-55	BBDGe				
			OSP Broadband BBDN <sup>5</sup>	CAT 6A	04-001-A4	BBDN6A	Coated aluminum tape	1,000' Reel
				CAT 6	04-001-64	BBDN6		
				CAT 5e	04-001-54	BBDNe		
			OSP Broadband BBD <sup>5</sup>	CAT 6	04-001-68	BBD6	None	1,000' Reel
				CAT 5e	04-001-58	BBD6e		
			OSP Broadband Indoor/Outdoor Halogen-Free CM/CMX	CAT 6A	04-001-A3	BBDG6A	Copper-clad steel	1,000' Reel
				CAT 6A	04-001-A2	BBDN6A	Coated aluminum tape	
				CAT 6	04-001-63	BBDG6	Copper-clad steel	
				CAT 6	04-001-62	BBDN6	Coated aluminum tape	
			OSP Broadband Duplex	CAT 5e	04-A01-55	BBDGe	Copper-clad steel	1,000' Reel








BUNDLED	Product Name	Part Number	Number of Cable Components <sup>6</sup>			Package
			CAT 6/5e	RG-6 Quad	62.5 2-Fiber	
	Bundled Composite CMR	D3-B169SA	CAT 6 x 2	1	1	Cut to length on reel
		D1-B169S5	CAT 5e x 2	1	1	Cut to length on reel



PREMISES COPPER	Coaxial <sup>7</sup>	Product Name	Listing	Part Number	Jacket Color	Package	Sustainability		
							EPD, HPD		
CAT 3		CAT 3	100-Pair	CMR	18-789-33	Gray	Cut to length	EPD, HPD	
				CMP	18-799-36			EPD, HPD	
			300-Pair	CMR	18-B99-33			EPD, HPD	
				CMP	18-B99-36				
		Coax RG-11, Quad Shield		CMR	78-348-91	White	1,000' Reel	-	
CMP				78-348-91	Black				
CMR		78-34C-91	White						
CMP		78-34C-91	Black						
		Coax RG-11, 95% Shield		CMR	79-758-91	Black	1,000' POP box	-	
CMP				78-75C-91	White				
		Coax RG-6, Quad Shield		CM/CATV	78-147-9P	White	1,000' POP box	-	
CMR/CATVR				78-148-91	Black				
					CMP/CL2P	78-14C-91	White	1,000' Reel	
						78-14C-9P	White	1,000' POP box	
		Coax RG-6, Tri-Shield 70%		CM	78-11A-9R	White	1,000' Reel-in-a-Box	-	
CMR				79-11A-9R	Black				
		Coax RG-6, 60% Shield		CM	78-107-9P	White	1,000' POP box	-	
CMR				79-107-9P	Black				
		Coax RG-6, 95% Shield		CMP	78-10C-9P	White	1,000' POP box	-	
CMR				79-658-91	Black				
		Coax RG-59, 95% Shield		CMR	78-558-91	White	1,000' Reel	-	
CMP/CL2R				79-558-91	Black				
		Coax RG-59, 95% Shield		CMP/CL2P	78-55C-91	White	1,000' Reel	-	
CMR				86-57D-A1	White				
					CMR	89-578-A1	Black	1,000' Reel	-
						86-578-A1	White		



<sup>1</sup>Where "x" = jacket color (see color key below). <sup>2</sup>No outer jacket. <sup>3</sup>With outer jacket. For single component cables, the outer jacket color matches the internal component jacket color. For dual component cables, the standard outer jacket color is Blue. <sup>4</sup>Non-standard jacket colors and other packaging options (types and lengths) available with minimum order quantity and lead time. <sup>5</sup>Also available with optional aluminum interlock armor with overjacket upon request. <sup>6</sup>Multiple construction options available, including other fiber types and fiber counts upon request. <sup>7</sup>Interlock Armored option is available for all Coax product. Please contact product manager to have details.

KEY	Standard Jacket Colors			
	<sup>1</sup> Replace "x" with:	Blue = 2	Gray = 3	White = 4



Non-standard Jacket Colors <sup>4</sup>					
Green = 5	Yellow = 6	Purple = 7	Red = 9	Orange = D	Black = E

PREMISES LOOSE-TUBE FIBER	Interconnect		Product Name	Listing	Part Number <sup>1</sup>	Configuration	Fiber Count	Package	Sustainability	
									EPD, HPD	
PREMISES LOOSE-TUBE FIBER	Interconnect		Microarray Data Center Interconnect	OFNR	P3***xx01	3 mm round	2 - 12	Reel	EPD, HPD	
					P3024xxA1	Duplex	24			
				OFNP	V4***xx01	2 mm Round	2 - 12			
					P4***xx01	3 mm round	2 - 12			
	PREMISES LOOSE-TUBE FIBER	Breakout		2 mm Microarray Breakout	OFNP	V4***xxB1	Multi-unit	24	Reel	EPD, HPD
						V4***xx01	Multi-unit	36 - 144		
		Breakout		2 mm Interlock Armored, Microarray Breakout	OFCP	L4***xB1	Multi-unit	24	Reel	EPD, HPD
						L4***xV01	Multi-unit	36 - 144		
		Breakout		3 mm Microarray Breakout	OFNR	P3024xxB1	Multi-unit	24	Reel	EPD, HPD
						P3***xx01		36 - 144		
P4024xxB1						24				
Breakout				3 mm Microarray Breakout	OFNP	P4024xxB1	Multi-unit	24	Reel	EPD, HPD
						P4***xx01		36 - 144		
						L3024xPB1		24		
Breakout		3 mm Interlock Armored, Microarray Breakout	OFCR	L3***xP01	Multi-unit	36 - 144	Reel	EPD, HPD		
				L4024xPB1		24				
				L4***xP01		36 - 144				

MICROLITE®		Product Name	Listing	Part Number <sup>1</sup>	Configuration	Fiber Count	Package	Sustainability
								EPD, HPD
MICROLITE®		MicroLite® Data Center Interconnect	OFNP	P4024xxC1	3.8 mm round	24	Reel	EPD, HPD
		MicroLite® Distribution		F457-048Uyy-z991	6.4 mm round	48		

ENDURALITE®	Breakout		Product Name	Listing	Part Number <sup>1</sup>	Configuration	Fiber Count	Package
								Reel
ENDURALITE®	Breakout		EnduraLite® Indoor/Outdoor Loose Tube Sunlight Resistant/Dry Block	OFNR	F360-***Uyy-E991	Single unit	2 - 12	Reel
					F360-***Uyy-EA51			1,000' BrakeBox
				OFNP	F460-***Uyy-E991	Multi-unit	24, 36, 48	Reel
					F462-***Uyy-EA51		1,000' BrakeBox	
				OFNP	F462-***Uyy-E991	Multi-unit	24, 36, 48	Reel
					F262-***Uyy-E991		24, 36, 48	

POWERWISE® FIBER		Product Name	Listing	Armor	Part Number	Configuration	Package
							Reel
POWERWISE® FIBER		PowerWise® Fiber	CL3R-OF/ CMR-OF/ FPLR-OF	No armor	F3C3-002U15-6991-CE9	2 - SMF, 2 - 16 AWG	Reel
				Interlock Armor	F1C3-002U15-6991-CE9		
				No armor	F4C3-002U15-6991-CE9		

PREMISES RIBBON		Product Name	Listing	Fiber Type	Part Number <sup>1</sup>	Configuration	Fiber Count	Package	
								Reel	
PREMISES RIBBON		Ribbon Distribution	OFNR	Single mode	F356-***Uyy-6991	Single unit	12 - 288	Reel	
				Multimode	F356-***Uyy-K991				
				OFNP	Single mode				F456-***Uyy-6991
					Multimode				F456-***Uyy-K991

		Product Name	Listing	Part Number <sup>1</sup>	Configuration	Fiber Count	Package	Sustainability	
PREMISES FIBER	Interconnect		Simplex, Duplex and Quad Interconnect	OFNR	33***xx01	3 mm Round	1	Reel	EPD, HPD
					A3001xx01	2 mm Round	1		
					B3002xx01	3 mm Zip	2		
					C3002xx01	2 mm Zip	2		
				OFNP	33***xyy	Round	2, 4	Refer to key	
					34***xx01	3 mm Round	1	Reel	
					A4001xx01	2 mm Round	1		
					B4002xx01	3 mm Zip	2		
					C4002xx01	2 mm Zip	2		
					34***xyy	Round	2, 4	Refer to key	
	Distribution		Single Unit Distribution	OFNR	43***xyy	Single unit	6, 8, 12	Refer to key	EPD, HPD
					43***xK01			18, 24	
				OFNP	44***xyy		6, 8, 12	Refer to key	
					44***xK01		18, 24	Reel	
		Multi-Unit Distribution	OFNR	43***xx01	Multi-unit	18 - 144	Reel	EPD, HPD	
			OFNP	44***xx01					
		Rugged Indoor MDU Tight Buffer	OFNR	D3001L5yy	Round	1	Refer to key	EPD, HPD	
			OFNR	D5001L5yy	Round	1	Refer to key	EPD, HPD	
		Dry Block/Sunlight Resistant Indoor/Outdoor Tight Buffer	OFNR	F308-***Uyy-E991	Single unit	2 - 24	Refer to key	EPD, HPD	
				W3***xx01	Multi-unit	18 - 144	Reel		
	OFNP		W4***xyy	Single unit	2 - 24	Refer to key			
			F409-***Uyy-E991	Multi-unit	24 - 72	Reel			
Interlock Armored		Interlock Armored, Tight Buffer Indoor	OFCR	L3***x301	Single unit	2, 4	Reel	EPD, HPD	
				L3***x401		6, 8, 12			
				L3***xK1Q		18, 24			
				L3***x401		Multi-unit			18 - 144
			OFCP	L4***x301	Single unit	2, 4			
				L4***x401		6, 8, 12			
				L4***xK1Q		18, 24			
				L4***x401		Multi-unit			18 - 72
		Interlock Armored, Indoor/Outdoor Tight Buffer	OFCR	F108-***Uyy-E991	Single unit	2 - 24	Reel		EPD, HPD
				L3***xW01	Multi-unit	18 - 144			
OFCP			L4***xW01	Single unit	2 - 24				
			F209-***Uyy-E991	Multi-unit	24 - 72				

<sup>1</sup>Where "\*\*\*\*" = fiber count and "x" or "xx" or "yy" = fiber type (refer to key below).









KEY	Single Mode Fiber (SMF) Types			
	TeraFlex® Bend Resistant			
		G.657.A1	G.657.A2	G.657.B3
	<sup>1</sup> Replace "x" with:	K	J	L
	<sup>1</sup> Replace "xx" with:	K1	J1	L1
<sup>1</sup> Replace "yy" with:	13	14	15	
Premises Jacket Colors	"z" = 6 Yellow			
Indoor/Outdoor Jacket Color	"z" = E Black			



Multimode Fiber (MMF) Types			
	TeraGain® 62.5/125	TeraFlex Bend Resistant Laser Optimized 50/125	
		OM3	OM4
<sup>1</sup> Replace "x" with:	6	N	P
<sup>1</sup> Replace "xx" with:	6G	NG	PG
<sup>1</sup> Replace "yy" with:	23	30	32
Premises Jacket Colors	"z" = D Orange	"z" = K Aqua	
Indoor/Outdoor Jacket Color	"z" = E Black		

KEY	Packaging Options*			
	Cut to Length Plywood reel	1,000 ft BrakeBox®	1,500 ft BrakeBox	2,000 ft BrakeBox
<sup>1</sup> Replace "yy" with:	01	BB*	BD*	BC*

\*Check with your sales representative to insure product is available in the desired length.

	Product Name	Series	Features	Part Number <sup>1</sup>	Fiber Count
Loose Tube	Loose Tube Single Jacket All Dielectric	11D	Dri-Lite® gel-free	11***xD0b	6 - 288
		11	PFM™ gel-filled	11***xz0b	2 - 432
		1NY	PFM gel-filled, nylon overjacket	11***xN0b	2 - 288
	Loose Tube Double Jacket All Dielectric	1GD	Dri-Lite gel-free	1G***xD0b	6 - 288
		1G	PFM gel-filled	1G***xz0b	2 - 288
	Loose Tube Single Jacket Single Armor	12D	Dri-Lite gel-free	12***xD0b	6 - 288
	Loose Tube Double Jacket Single Armor	12	PFM gel-filled	12***xz0b	2 - 432
1AD		Dri-Lite gel-free	1A***xD0b	6 - 288	
Loose Tube Double Jacket Double Armor	1A	PFM gel-filled	1A***xz0b	2 - 288	
	1DD	Dri-Lite gel-free	1D***xD0b	6 - 288	
Loose Tube Triple Jacket Double Armor	1D	PFM gel-filled	1D***xz0b	2 - 288	
	1CD	Dri-Lite gel-free	1C***xD0b	6 - 144	
Air Blown Micro Fiber	1C	PFM gel-filled	1C***xz0b	2 - 144	
	LT	Dry (SAP) core standard	FJ10-***xxx-E991	24 - 288	
Outdoor/Indoor	Loose Tube Outdoor/Indoor	13D	Dri-Lite gel-free OFNR	13***xD0b	6 - 288
		13	PFM gel-filled OFNR	13***xz0b	2 - 288
		13I	Interlock armored OFCR	L3***x10b	2 - 144
	Loose Tube Outdoor/Indoor LSZH	HZD	Single jacket, all dielectric OFNR-LS	FH16-***xxx-E99b	6 - 288
		HZA	Single jacket, single armor OFCR-LS	FH25-***xxx-E99b	6 - 288
Heavy Duty Loose Tube	1H	OFNR	1H***xz0b	2 - 216	
ADSS	All Dielectric Self Supporting (ADSS)	1F100	100 meter span	FE11-***xxx-E99b <sup>2</sup>	6 - 288
		1F200	200 meter span	FE12-***xxx-E99b <sup>2</sup>	6 - 288
		1F400	400 meter span	FE14-***U10-E991	6 - 288
Miscellaneous	Single Loose Tube	51	All dielectric	51***xz0b	2 - 96
		52	Single armor	52***xz0b	2 - 96
		53	Indoor/Outdoor OFNR	53***xz0b	2 - 96
	Single Flex Tube	F1	All dielectric	F1***xz0b	2 - 96
		F2	Single armor	F2***xz5b	2 - 96
	Flex Tube Locate	FM	Metallic locatable tape	FM***x1Sb	2 - 96
FTTP	UG FTTP	513	All dielectric	51***xz0b	2 - 12
		52S	Steel armor	52***xS0b	2 - 12
		52U	Steel armor with rip cords	52***xU0b	2 - 12
	Buried FTTP	523	Aluminum armor	52***xz0b	2 - 12
		573Q	21 mm solid steel self support	57***x23Q	1 - 12
	Oval Drop FTTP	6U	MDPE Universal	6U***x1RG	2 - 12
		6T	MDPE Toneable	6T***x1RG	2 - 12
6S		PVC Universal	6S***x1RG	2 - 12	
6R		PVC Toneable	6R***x1RG	2 - 12	
FTTP Tight Buffered I/O Drop	W7U	MDPE Universal	W7***KU0b	1 - 2	
	W7T	MDPE Toneable	W7***K10b	1 - 2	
Ribbon	Ribbon Locate	RM	Metallic locatable tape	RM***x1Sb <sup>2</sup>	60 - 216
	Single Tube Ribbon	R1D	Dri-Lite gel-free, all dielectric	R1***xD0b <sup>2</sup>	12 - 432
		R1	PFM gel filled, all dielectric	R1***x10b <sup>2</sup>	12 - 432
		R2D	Dri-Lite gel-free, single armor	R2***xDSb <sup>2</sup>	12 - 432
		R2	PFM gel filled, single armor	R2***x1Sb <sup>2</sup>	12 - 432
Stranded Tube Ribbon	S2	Single armor	S2***x10b <sup>2</sup>	360 - 1,008	
Loose Tube Self Support	Loose Tube Single Jacket Self Support	11DM	Dri-Lite gel-free	11***xDMb	6 - 288
		11M	PFM gel-filled	11***zMb	2 - 288
		11MLS	Long-span ½" messenger	11***KDLb	6 - 288
			Long-span ¾" messenger	11***KDKb	6 - 288
	Loose Tube Double Jacket Self Support	1GDm	Dri-Lite gel-free	1G***xDMb	6 - 120
		1GM	PFM gel-filled	1G***zMb	2 - 120
	Loose Tube Single Jacket Single Armor Self Support	12DM	Dri-Lite gel-free	12***xDMb	6 - 288
		12M	PFM gel-filled	12***zMb	2 - 288
	Loose Tube Double Jacket Single Armor Self Support	1ADM	Dri-Lite gel-free	1A***xDMb	6 - 120
		1AM	PFM gel-filled	1A***zMb	2 - 120

OSP COMPOSITE		Product Name	Series	Features	Part Number <sup>3</sup>	Copper Pair Count	Fiber Count
		Buried Drop Composite	Fiber/copper composite with aluminum armor	72		72***x32b	2
72***x33b	3						
72***x36b	6						
	Fiber/copper composite with steel armor		72S		72***x32S	2	2 - 12
72***x33S					3		
72***x36S					6		
	Composite Right of Way		MR	Fiber/copper composite for small conduits	MR0723011	12	72
	Composite CAT 5e Drop		5F	Composite with 4 fibers and CAT 5e	11-003-30	4	4
	Composite Drop Web	Fiber/copper composite with 2 - 12 fibers and 2 or 5 copper pairs	5W		5W***x01Q	2	2 - 12
					5W***x02Q	5	2 - 12
	Composite OSP Web	Fiber/copper composite with 6 - 24 fibers and 6 - 25 copper pairs	5V		5V***x061	6	6 - 24
					5V***x121	12	
					5V***x181	18	
					5V***x251	25	
	Composite OSP Overjacket	Fiber/copper composite with 48 - 96 fibers and 50 - 200 copper pairs	70 OJ		70-065-24	50	24
					70-073-96	200	96
	Composite Round CF	Many fiber constructions with 1 - 3 copper pairs	L		11***C02Q	1	2 - 288
					12***C103	1 - 3	

FTTA		Product Name	Part Number	Conductor Count	AWG (mm)	Fiber Component	Fiber Count
		Fiber-to-the-Antenna (FTTA) Fiber OFNR		53012K01Q	-	-	Central tube
53024K01Q				24			
53048K01Q				48			
	Fiber-to-the-Antenna (FTTA) Hybrid Fiber + Power		FHG3-012-U13-E991	6	8 (3.26)	Tight buffer	12
			FHG2-012-U13-E991			Central tube	
			FHG1-012-U13-E991			Loose tube	

<sup>1</sup>Where "\*\*\*\*" = fiber count (i.e. 001, 002, 004, 006, 008, 012...), "x" = fiber type, "z" = special attribute, "b" = jacket print code and "O" = standard product (refer to keys below).

<sup>2</sup>These products are only available with single mode (SMF) fiber types. <sup>3</sup>Where "\*\*\*\*" = fiber count (i.e. 001, 002, 004, 006, 008, 012...), "x" = fiber type and "O" = standard product (refer to keys below).

KEY	Single Mode Fiber (SMF) Types						
	Reduced Water Peak	Zero Water Peak	TeraFlex® Bend Resistant			NZDS	LEAF
			G.657.A1	G.657.A2	G.657.B3		
<sup>1</sup> Replace "x" with:	3	2	K	J	L	8	S
<sup>1</sup> Replace "xxx" with:	U10	U17	U13	U14	U15	U19	C19

KEY	Multimode Fiber (MMF) Types				
	TeraGain® 62.5/125	TeraFlex Bend Resistant Laser Optimized 50/125			
		10G/150	10G/300	10G/550	
<sup>1</sup> Replace "x" with:	6	M	N	P	
<sup>1</sup> Replace "xxx" with:	U23	U28	U30	U32	



KEY	Special Attributes		
	12-fiber tubes with		TeraGain MMF 12-fiber tubes
	< 36 fibers	> 36 fibers	
<sup>1</sup> Replace "z" with:	T	1	G







KEY	Jacket Print Codes			
	Dry core		Dry core special	
	Feet	Meters	Feet	Meters
<sup>1</sup> Replace "b" with:	1	2	5	6




		Product Name	Part Number	Pair Count	AWG (mm)	Standard Length ft (m)	Reel Size F x T x D in
SEALPIC		SEALPIC® (air core)	01-097-40	25	24 (0.51)	5,000 (1,524)	44 x 18 x 20
			01-100-40	50			46 x 25 x 20
			01-104-40	100			58 x 25 x 20
		SEALPIC-84 (air core self support)	01-092-38	6	24 (0.51)	5,000 (1,524)	46 x 25 x 20
			01-097-38	25			58 x 25 x 20
			01-104-38	100			72 x 36 x 36
		SEALPIC-FSF-84 (filled self support)	09-092-05	6	24 (0.51)	5,000 (1,524)	46 x 25 x 20
			09-097-05	25			58 x 25 x 20
			09-104-05	100			72 x 36 x 36
		SEALPIC-FSF RDUP PE-89	09-062-02	25	22 (0.64)	5,000 (1,524)	46 x 25 x 20
			09-069-02	100			62 x 30 x 24
			09-075-02	300			58 x 25 x 20
			09-081-02	600	24 (0.51)	5,000 (1,524)	72 x 35 x 36
			09-092-02	6			36 x 18 x 14
			09-097-02	25			44 x 18 x 20
09-104-02			100	58 x 25 x 20			
09-110-02	300	2,500 (762)	65 x 30 x 32				
	SEALPIC-F RDUP PE-39	04-092-21	6	24 (0.51)	5,000 (1,524)	36 x 18 x 14	
		04-097-21	25			46 x 25 x 20	
		04-104-21	100			65 x 30 x 32	
	CUPIC-F® RDUP PE-39	04-092-04	6	24 (0.51)	5,000 (1,524)	36 x 18 x 14	
		04-097-04	25			46 x 25 x 20	
		04-104-04	100			65 x 30 x 32	
	GOPIC®-F RDUP PE-39	04-092-27	6	24 (0.51)	5,000 (1,524)	36 x 18 x 14	
		04-097-27	25			46 x 25 x 20	
		04-104-27	100			65 x 30 x 32	
	CASPIC®-FSF RDUP PE-89	09-092-92	6	24 (0.51)	5,000 (1,524)	36 x 18 x 14	
		09-097-92	25			46 x 25 x 20	
		09-104-92	100			58 x 25 x 20	

		Product Name	Part Number	Pair Count	AWG (mm)	Wire Color	Standard Length ft (m)	Package
Aerial		ADP NMS	12-031-08	1	22 (0.64)	-	750 (229)	POP™ box
			12-004-08	2			750 (229)	
			12-019-08	3			600 (183)	
			12-519-08	5			400 (122)	
			12-009-08	6			1,000 (305)	Reel
Buried		ADP S	12-301-07	3	22 (0.64)	-	1,000 (305)	Reel
				BDW A	04-089-85	2	24 (0.51)	-
	04-104-85	6						
		BDW G	04-053-17	2	22 (0.64)	-	2,500 (762)	Reel
			04-062-16	6				
		BW GDJ	25-360-79	3	22 (0.64)	-	1,200 (366)	Reel
			25-555-79	5			1,000 (305)	
		BW AF	25-069-86	2	22 (0.64)	-	1,300 (396)	Reel
			25-549-86	5			5,000 (1,676)	
	Miscellaneous		Temporary Drop Wire TDW	12-311-36	2	22 (0.64)	Red/Green, Yellow/Black	1,000 (305)
12-331-36				1	24 (0.51)	Red/Green	2,000 (610)	
		Ground Wire Gray Jacketed	12-101-04	-	6 (4.12)	-	200 (61)	Boxed coil
			12-111-04	-	10 (2.59)	-		
		Cross-Connect CAT 5 Wire XCW	02-011-23	1	24 (0.51)	White/Blue	1,000 (305)	Spool
			02-032-23			Violet/Blue		
		Indoor/Outdoor Cross-Connect Wire XCW	02-111-13	1	22 (0.64)	White/Blue	1,000 (305)	Spool
	02-102-13		Yellow/Blue					
	02-001-13		24 (0.51)		White/Blue	600 (183)		
	02-D02-13				Yellow/Blue			



DAS HYBRID		Cables	Part Number	Conductor Count	Conductor Type	AWG (mm)	Fiber Count	Fiber Type
		DAS Hybrid Fiber + Copper, Plenum	F4C2-012U13-6991-CE5	4	19 x 0.185"	12 (2.05)	12	SMF TeraFlex® Bend Resistant G.657.A1
		Interlock Armored DAS Hybrid Fiber + Copper, Plenum	F2C2-012U13-6991-CE5	4	19 x 0.185"	12 (2.05)	12	SMF TeraFlex® Bend Resistant G.657.A1

DAS CABLE AND CONNECTORS		Cables	Compatible DIN Connectors	Compatible N Connectors	Connector Interface Type	
					Gender	Straight or Angle
Riser		HFSC-12DR ½" Super Flexible, Foam Dielectric Copper Corrugated Outer Conductor ETL listed CMR	CHFS-12DM	CHFS-12NM	Male	Straight
			CHFS-12DF	CHFS-12NF	Female	Straight
			CHFS-12DMR	CHFS-12NMR	Male	Right Angle
		LHF-12DR ½" Low Loss, High Flexible, Foam Dielectric Copper Corrugated Outer Conductor ETL Listed CMR	CLH-12DM	CLH-12NM	Male	Straight
			CLH-12DF	CLH-12NF	Female	Straight
			CLH-12DMR	CLH-12NMR	Male	Right Angle
		HFAC-12DR ½" Low Loss, High Flexible, Foam Dielectric Aluminum Corrugated Outer Conductor ETL Listed CMR	CHFA-12DM	CHFA-12NM	Male	Straight
			CHFA-12DF	CHFA-12NF	Female	Straight
			-	CHFA-12NMR	Male	Right Angle
		-	CHFA-12NFR	Female	Right Angle	
Plenum		HFSC-12DP ½" Super Flexible, Air Dielectric Copper Corrugated Outer Conductor ETL Listed CMP	CHFSP-12DM	CHFSP-12NM	Male	Straight
			CHFSP-12DF	CHFSP-12NF	Female	Straight
			CHFSP-12DMR	CHFSP-12NMR	Male	Right Angle
		LHF-12DPV ½" Low Loss, High Flexible, Air Dielectric Copper Corrugated Outer Conductor ETL Listed CMP PVC Jacket	CLHPV-12DM	CLHPV-12NM	Male	Straight
			CLHPV-12DF	CLHPV-12NF	Female	Straight
				CLHPV-12NMR	Male	Right Angle
		HFAC-12DPV ½" Low Loss, High Flexible, Air Dielectric Aluminum Corrugated Outer Conductor ETL Listed CMP	CLHPV-12DM	CLHPV-12NM	Male	Straight
			CLHPV-12DF	CLHPV-12NF	Female	Straight
				CLHPV-12NMR	Male	Right Angle

CABLE PREP		Part Number	Description	Compatible Cable/ Tool
			T-HFSC12DR	Cable Prep Drill Tool
T-LHF12DR	LHF-12DR			
T-HFAC12DR	HFAC-12DR			
T-HFSC12DP	HFSC-12DP			
T-LHFA12DPV	LHF-12DPV, HFAC-12DPV			
	TF-LHFA12	Flare and Foam Separator		LHF-12DPV, LHF-12DR, HFAC-12DPV, HFAC-12DR
	TF-HFSC12			HFSC-12DP, HFSC-12DR
Blade Kits		TBK-LHFA12	Replacement Blade Kit for Automatic Cable Prep Tool	T-LHFA12DPV, T-LHF12DR, T-HFAC12DR
		TBK-HFSC12		T-HFSC12DP, T-HFSC12DR







FTTA	Cable	Part Number	Conductor Count	AWG (mm)	Fiber Component	
					Fiber Component	Fiber Count
	Fiber-to-the-Antenna (FTTA) Fiber OFNR	53012K01Q	-	-	Central tube	12
		53024K01Q				24
		53048K01Q				48
	Fiber-to-the-Antenna (FTTA) Hybrid Fiber + Power	GM012K221	6	8 (3.26)	Tight buffer	12
		GM012K111			Central tube	
		GM012K011			Loose tube	

REF CABLE AND CONNECTORS	Cables	Compatible DIN Connectors	Compatible N Connectors	Connector Interface Type			
				Gender	Straight or Angle		
Super Flex		HFSC-12DM	CHFS 12NM	Male	Straight		
				CHFS-12DF	CHFS-12NF	Female	Straight
				CHFS12DMR	CHFS12NMR	Male	Right Angle
Low Loss		CLH-12DM	CLH-12NM	Male	Straight		
				CLH-12DF	CLH-12NF	Female	Straight
				CLH-12DMR	CLH-12NMR	Male	Right Angle
Ultra Low Loss		CLH-22DM	CLH-22NM	Male	Straight		
				CLH-22DF	CLH-22NF	Female	Straight
				CLH-42DM	CLH-42NM	Male	Straight
CLH-42DF	CLH-42NF	Female	Straight				

HANGER KITS	Part Number	Description	Unit of Measure
Standard	LBHS12NH	½" Cable Standard Hangers	Kit of 10
	LBHS22NH	¾" Cable Standard Hangers	Kit of 10
	LBHS33NH	1¼" Cable Standard Hangers	Kit of 10
	LBHS42NH	1½" Cable Standard Hangers	Kit of 10
Stackable Snap-In	L-SH-S12	½" Cable Stackable Snap-In Hangers	Kit of 10
	L-SH-S22	¾" Cable Stackable Snap-In Hangers	Kit of 10
	L-SH-S33	1¼" Cable Stackable Snap-In Hangers	Kit of 10
	L-SH-S42	1½" Cable Stackable Snap-In Hangers	Kit of 10
Universal Snap-In	L-SH-U12	½" Cable Universal Snap-In Hangers	Kit of 10
	L-SH-U22	¾" Cable Universal Snap-In Hangers	Kit of 10
	L-SH-U33	1¼" Cable Universal Snap-In Hangers	Kit of 10
	L-SH-U42	1½" Cable Universal Snap-In Hangers	Kit of 10

ADAPTER KITS	Part Number	Description	Unit of Measure
	RM-A100	1" to 2" Round Adapters	Kit of 10
	RM-A300	3" to 4" Round Adapters	Kit of 10
	SA-SS200	1½" to 3½" Stand-Off Adapters	Kit of 10
	SA-SS300	2" to 4.5" Stand-Off Adapters	Kit of 10
	L-SA-38	3-Way Stand-Off Adapters	Kit of 10
	AA-SL	Angle Adapters	Kit of 10

OTHER ACCESSORIES	Part Number	Description	Unit of Measure
Grounding	L-GK-C12	½" Cable Grounding Kit - Clip-on Type	Kit
	L-GK-C22	¾" Cable Grounding Kit - Clip-on Type	Kit
	L-GK-C42	1½" Cable Grounding Kit - Clip-on Type	Kit
Hoisting Grips	L-HG-12	½" Cable Hoisting Grip - Lace-Up	Each
	L-HG-22	¾" Cable Hoisting Grip - Lace-Up	Each
	L-HG-33	1¼" Cable Hoisting Grip - Lace-Up	Each
	L-HG-42	1½" Cable Hoisting Grip - Lace-Up	Each
	L-HG-12L	½" Cable Hoisting Grip - Pre-Laced	Each
	L-HG-22L	¾" Cable Hoisting Grip - Pre-Laced	Each
	L-HG-42L	1½" Cable Hoisting Grip - Pre-Laced	Each
Boots	LBA-12-1A	½" Cable Boot Assembly, 4" with 1 Hole	Kit
	LBA-22-1A	¾" Cable Boot Assembly, 4" with 1 Hole	Kit
	LBA-42-1A	1½" Cable Boot Assembly, 4" with 1 Hole	Kit
Surge Arrestors	AGDMDF02	Surge Arrestor - Wide Band (DC Pass) DIN Male/DIN Female	Each
	AG-NFNF	Surge Arrestor - Wide Band (DC Pass) N Female/N Female	Each
	ATNMNF700	Surge Arrestor - 700-2,700 Wave 4 N Male/N Female	Each
	ATDMDF700	Surge Arrestor - 700-2,700 MHz Wave 4 DIN Male/DIN Female	Each
	AT-NMNF-W	Surge Arrestor - 800-2,700 MHz Wave 4 N Male/N Female	Each
	AT-DMDF-W	Surge Arrestor - 800-2,700 MHz Wave 4 DIN Male/DIN Female	Each
Tools	L-CT-12D	½" Cable Cutting Tool - LHF and HFAC	Each
	L-CT-12DS	½" Cable Cutting Tool - HFSC	Each
	L-CT-22D	¾" Cable Cutting Tool - LHF	Each
	L-FT-42D	1½" Cable Cutting Tool - LHF	Each
Miscellaneous	L-WK-U	Universal Weatherproofing Kit	Kit
	GB0424TU	Ground Bus Bar Kit	Kit
	WPSANT12D	Weather Proofing Shell - Antenna to ½" DIN	Each
	WPS12158D	Weather Proofing Shell - ½" to 1½" DIN	Each
	WATS-38	Anti-Theft Hardware Kit	Kit

	Product Name	Listing	Part Number	Conductor Count	AWG (mm)	Jacket Color	Package
	Fire Alarm, Non-Shielded Power Limited	FPLR/CL3R/CMR	2F-212-91	2	16 (1.29)	Red	1,000' Ribbed spool
		FPLP/CL3P/CMP	2F-212-93				
	Fire Alarm, Shielded Power Limited	FPLR/CL3R/CMR	2F-132-92	4	18 (1.02)	Red	1,000' Ribbed spool
		FPLP/CL3P/CMP	2F-132-94				
	Interlock Armored Fire Alarm Riser, Non-Shielded	FPLR/CL3R	K2F-419-91	2	12 (2.05)	Red	1,000' Wood reel
			K2F-339-91	4	14 (1.63)		1,000' Wood reel
	Security Control, Non-Shielded Power Limited	FPLR/CL3R/CMR	2F-D12-31	2	16 (1.46)	Gray	1,000' Ribbed spool
		FPLP/CL3P/CMP	2F-D34-43	4	16 (1.46)	White	1,000' Reel-in-a-Box
	Security Control, Shielded Power Limited	FPLR/CL3R/CMR	2F-D12-32	2	16 (1.46)	Gray	1,000' Ribbed spool
		FPLP/CL3P/CMP	2F-D12-44			White	
	Access Control Composite	CMR/CL3R/FPLR	AC-A12-55	4 x 18 AWG 3 pairs x 22 AWG 4 x 22 AWG 2 x 22 AWG		Green	1,000' Wood reel
		CMP/CL3P/FPLP	AC-A12-68			Yellow	500' Wood reel
		CMR/CL3R/FPLR	AC-A13-55			Green	
		CMP/CL3P/FPLP	AC-A13-68			Yellow	



### BrakeBox® Dual Brake System

The brake allows for back-tension and over-spin control. The spool may be taken from the box for installation or may be left in the box where the cable pays out through a slotted opening.



### POP™ Box

In this package, the cable is coiled into a box. The product pays out through a tube opening in the box. This design does not allow for the cable to be removed as a unit from the box.



### Reel-in-a-Box

The cable is placed onto a plastic spool, which is placed into a box. The spool may be taken from the box for installation or may be left in the box where the cable pays out through a slotted opening.



### Steel Reel

Long lengths of cable are placed onto steel reels. This reel is environmentally-friendly and recycled for years of service.



### Wood/Plywood Reel

Reels may be made of plywood or wood. Our wooden reels can be recycled an average of five times before retirement (see Web site for further details).



### Spool or Ribbed Spool

Wire is wound onto a spool and placed inside a box for protection during shipment. Cable is wound onto a ribbed, plastic recyclable spool that is rugged, robust and easy to handle. Spools are smaller than reels.



### Parallel Cone

This package is designed to fit into the GMP cast aluminum wire dispensing system (80470 or 80471). When placed on the GMP dispenser, the jumper or distribution frame wire pays out smoothly.



### Knock-out Box

Cable is coiled and fastened within a box. Knock out boxes can be identified by a perforated "knock-out" that is removed, allowing access to the cable.



### Coils

Coils refer to lengths of cable that have been wrapped into a shape (usually a circle) and fastened with multiple ties. Coils can be custom configured to fit a customer's unique cable and wire feeding systems.

# The Journey to Zero Waste to Landfill Status

3 Years Certified

**ZERO**  
WASTE TO LANDFILL



prevented over  
**13.5 MILLION lbs.**  
of Waste  
from reaching landfills

**RECYCLING  
& REUSE**

prevents **100%**  
of manufacturing waste from reaching landfills



REDUCED  
overall manufacturing  
WASTE  
by **16%**  
since 2011



**LIFE CYCLE ASSESSMENTS**



for **Copper** and  
**Optical Fiber**  
data cable  
manufacturing

published  
industry's  
first



**Health Product Declarations &  
Environmental Product Declarations**



6120 Powers Ferry Road, Suite 150  
Atlanta, Georgia 30339

P 770.657.6000  
T 800.551.8948  
F 877.291.7919

SuperiorEssex.com

Superior Essex makes every effort to ensure the accuracy of the information contained in this line card at the time of publication. Specifications, packaging and part numbers detailed within are subject to change. For the most up-to-date information, please contact Superior Essex at 800.551.8948 or visit SuperiorEssex.com. © 2017 Superior Essex, Inc.